# Mobile Video Unit (MVU)





MVU\_ProductInformation\_en\_091117

### Mobile Video Unit (MVU)



The Secura Systems MVU is a fully stand-alone operating fast deployable robust and well secured container with a pneumatic telescopic pole of 6 meters for high-performance video surveillance.

It can be optionally equipped with a complete communication system per GPRS / UMTS / HSDPA as well as e.g. intrusion detection and GPS.




## Mobile Video Unit (MVU)



## Mobile Video Unit (MVU)

- Robust and well secured container with a pneumatic telescopic pole of 6 meters
- Already pre-cabled with 4 x Coax, 1 x Data, 2 x CAT5, 1 x power supply, 1 x IR Illuminators-Control
- 230V connector with inverter as well backup power supply trough 1000 Ah battery
- Console terminal with low battery indication on LCD, controls for sustainers of container, separated circuits, controls for inverter
- Interior lights container
- Magnetic contact on the entrance door
- Optionally equipped with 4 speed domes or up to 4 SentryScopes, Infra-Red illuminators and Motion Detection
- Fully stand-alone operation
- Dimensions (WxLxH): 121 x 186 x 186 cm
- Weight MVU: ± 1.100kg
- Weight Trailer: ± 230kg (MTM 1.500kg)



Copyright © Secura Systems. All rights reserved. All other company and product names maybe trademarks of their respective companies. While every effort is made to make sure the information shown is accurate, Secura Systems does not accept any liability for any errors or mistakes that may arise. Specifications and other information may be subject to change without notice. All performance figures and other data contained in this document may vary by application. No freedom to use information, patents, trade marks, or other intellectual property rights is implied by the publication of this document.



www www.securasystems.de